

Gradual Polymorphic Effects

Full Definitions and Proofs

Matías Toro *

PLEIAD Lab
Computer Science Department (DCC)
University of Chile
mtoro@dcc.uchile.cl

Éric Tanter †

PLEIAD Lab
Computer Science Department (DCC)
University of Chile
etanter@dcc.uchile.cl

Contents

1	Introduction	2
2	Source Language	2
2.1	Syntax	2
2.2	Static Semantics	2
3	Internal Language	4
3.1	Syntax	4
3.2	Static Semantics	4
3.3	Dynamic Semantics	4
4	Source to Internal Language Translation	4
5	Auxiliary Functions and Definitions	4
6	Proofs of Type Soundness	8
6.1	Soundness of Internal Language	8
6.1.1	Progress	8
6.1.2	Preservation	9
6.2	Translation Preserves Typing	10
6.3	Auxiliary Lemmas and Propositions	11

* Funded by CONICYT-PCHA/Magíster Nacional/2013-22131048

† Partially funded by Fondecyt project 1150017

1. Introduction

What follows is a formalization of a gradual polymorphic effects system, which works as a privilege checking system. This system combines the work of LPE [3] and TGE [1] to support gradual effects and effect polymorphism. This following sections describe the extensions and modifications to TGE that are necessary to integrate gradual effects with effect polymorphism, and subeffecting.

2. Source Language

We now present a formal model for a language with integrated support for gradual effect and effect polymorphism. The language is inspired by TGE and LPE, and we call it Gradual Polymorphic Effect System (GPES).

2.1 Syntax

$$\begin{aligned}
& \phi \in \mathbf{Priv}, \quad \xi \in \mathbf{CPriv} = \mathbf{Priv} \cup \{\iota\} \\
\Phi \in \mathbf{PrivSet} = \mathcal{P}(\mathbf{Priv}), \quad \Xi \in \mathbf{CPrivSet} = \mathcal{P}(\mathbf{CPriv}) \\
v & ::= \mathbf{unit} \mid (\lambda x: T. e)^{T; \Xi; \bar{x}} \quad \text{Values} \\
e & ::= x \mid v \mid e e \mid e :: \Xi \quad \text{Terms} \\
T & ::= \mathbf{Unit} \mid (x: T) \xrightarrow[\bar{x}]{\Xi} T \quad \text{Types}
\end{aligned}$$

Figure 1. Syntax of the source language

Figure 1 presents GPES’s syntax. As in TGE, the language is parameterized on some finite set of privileges \mathbf{Priv} for a given effect domain. Subeffecting is a partial order on effect privileges, denoted $\phi_1 <: \phi_2$. A consistent privilege, in \mathbf{CPriv} , can additionally be the unknown privilege ι . A consistent privilege set Ξ is an element of the power set of \mathbf{CPriv} , *i.e.* a set of privileges that can include ι .

A value can either be **unit** or a function. The main difference with TGE is that functions are fully annotated, including the type of the argument T_1 , the return type T_2 , the latent (consistent) privilege set Ξ , and the relative effect variables \bar{x} . A term e can be a variable x , a value v , an application $e e$, or an effect ascription $e :: \Xi$. A type is either \mathbf{Unit} or a function type $(x: T) \xrightarrow[\bar{x}]{\Xi} T$. Although functions have only one argument, the relative effect variables \bar{x} can include variables defined in the surrounding lexical context.

For instance, in a context Γ where f is defined, a function that takes a function g as argument, performs some output, and applies both f and g , can be defined as follows:

$$(\lambda g: \mathbf{Unit} \xrightarrow{\top} \mathbf{Unit} \dots)^{\mathbf{Unit}; \{\text{@output}\}; \{f, g\}}$$

2.2 Static Semantics

Rule [Var] is self explanatory. Rule [Fn] typechecks the body of the function using the annotated privilege set Ξ_1 and relative effect variables \bar{x}_1 , and verifies that the type of the body T' is a consistent subtype of the annotated return type T_2 .

To type an effect ascription (rule [Eff]), the ascribed privilege set is used to typecheck the inner expression. This rule is the same as in TGE save for the polymorphic context and the fact that it uses consistent subcontainment to check that the ascribed privilege set is valid in the current context.

Rule [App] is an adaptation of the corresponding TGE typing rule to support relative effects. The sub-expressions e_1 and e_2 are typed using adjusted privilege sets (according to each domain). **check** verifies that the application is allowed with the given permissions Ξ . A subtlety is that if the invoked function is effect-polymorphic, its latent effects are not only Ξ_1 , but also include the latent effects of the relative effect variables of the functions in \bar{y} that are not already present in the polymorphic context \bar{x} .

These additional latent effects are computed by the auxiliary function $latent_{\Gamma; \bar{x}}(T)$ defined in [2]. The function needs access to both the type environment Γ and the polymorphic context \bar{x} to lookup the types of the relative effect variables. An extra subtlety is that the type of each f in $\bar{y} \setminus \bar{x}$ is obtained in an environment in which the argument y has type T_2 , not T_1 . This is to account for effect polymorphism: the actual latent effects of the argument come from e_2 .

Rule [AppP] is a new rule for the application of functions that are the parameter of an enclosing effect-polymorphic function (*i.e.* $f \in \bar{x}$). The difference between [AppP] and [App] is very subtle: the typing rule [AppP] does not need to check if the latent effects of the function being applied are consistently subcontained in the set of privileges of the enclosing application.

$$\begin{array}{c}
\boxed{\Gamma \vdash T' \lesssim: T} \qquad \text{CSRef} \frac{}{\Gamma \vdash T \lesssim: T} \qquad \text{CSTrans} \frac{\Gamma \vdash T_1 \lesssim: T_2 \quad \Gamma \vdash T_2 \lesssim: T_3}{\Gamma \vdash T_1 \lesssim: T_3} \\
\text{CSFun} \frac{\Gamma \vdash T_1 \lesssim: T_1' \quad \Gamma, x: T_1 \vdash (\Xi', [x/x']\bar{x}') \lesssim (\Xi, \bar{x}) \quad \Gamma, x: T_1 \vdash [x/x']T_2' \lesssim: T_2}{\Gamma \vdash (x': T_1') \xrightarrow{\Xi'} T_2' \lesssim: (x: T_1) \xrightarrow{\Xi} T_2} \\
\boxed{\Gamma \vdash (\Xi', \bar{x}') \lesssim (\Xi, \bar{x})} \qquad \text{CCnf} \frac{\Xi' \sqsubseteq: \Xi \quad \forall x' \in \bar{x}'. \Gamma \vdash x' \lesssim (\Xi, \bar{x})}{\Gamma \vdash (\Xi', \bar{x}') \lesssim (\Xi, \bar{x})} \\
\boxed{\Gamma \vdash x \lesssim (\Xi, \bar{x})} \qquad \text{CCnfVar} \frac{x \in \bar{x}}{\Gamma \vdash x \lesssim (\Xi, \bar{x})} \\
\text{CCnfRel} \frac{x \notin \bar{x} \quad \Gamma(x) = (y: T_a) \xrightarrow{\Xi_y} T_b \quad y \notin \bar{x} \quad \Gamma, y: T_a \vdash (\Xi_y, \bar{y}) \lesssim (\Xi, \bar{x})}{\Gamma \vdash x \lesssim (\Xi, \bar{x})} \\
\boxed{\Gamma \vdash T' <: T} \qquad \text{SRef} \frac{}{\Gamma \vdash T <: T} \qquad \text{STrans} \frac{\Gamma \vdash T_1 <: T_2 \quad \Gamma \vdash T_2 <: T_3}{\Gamma \vdash T_1 <: T_3} \\
\text{SFun} \frac{\Gamma \vdash T_1 <: T_1' \quad \Gamma, x: T_1 \vdash (\Xi', [x/x']\bar{x}') \preceq (\Xi, \bar{x}) \quad \Gamma, x: T_1 \vdash [x/x']T_2' <: T_2}{\Gamma \vdash (x': T_1') \xrightarrow{\Xi'} T_2' <: (x: T_1) \xrightarrow{\Xi} T_2} \\
\boxed{\Gamma \vdash (\Xi', \bar{x}') \preceq (\Xi, \bar{x})} \qquad \text{Cnf} \frac{\Xi' \sqsubseteq: \Xi \quad \forall x' \in \bar{x}'. \Gamma \vdash x' \preceq (\Xi, \bar{x})}{\Gamma \vdash (\Xi', \bar{x}') \preceq (\Xi, \bar{x})} \\
\boxed{\Gamma \vdash x \preceq (\Xi, \bar{x})} \qquad \text{CnfVar} \frac{x \in \bar{x}}{\Gamma \vdash x \preceq (\Xi, \bar{x})} \\
\text{CnfRel} \frac{x \notin \bar{x} \quad \Gamma(x) = (y: T_a) \xrightarrow{\Xi_y} T_b \quad y \notin \bar{x} \quad \Gamma, y: T_a \vdash (\Xi_y, \bar{y}) \preceq (\Xi, \bar{x})}{\Gamma \vdash x \preceq (\Xi, \bar{x})} \\
\boxed{[x/x']T} \qquad \frac{T = (y: T_1) \xrightarrow{\Xi_y} T_2 \quad y \notin \{x, x'\}}{[x/x']T = (y: [x/x']T_1) \xrightarrow{[x/x']\bar{y}} [x/x']T_2} \\
\boxed{[x/x']\bar{x}} \qquad [x/x']\bar{x} = \bar{y} \text{ where } y_i = \begin{cases} x & \text{if } x_i = x' \\ x_i & \text{otherwise} \end{cases}
\end{array}$$

Figure 2. Subtyping and Consistent subtyping rules

The reason is that in [AppP] the application is being polymorphic on f , meaning that the application is allowed to produce any effect that f may produce.

3. Internal Language

GPES leaves many aspects of dynamic privilege checking implicit. This section introduces an internal language, GPESIL, that makes these details explicit. GPES's semantics are then defined by type-directed translation to GPESIL.

3.1 Syntax

GPESIL is structured much like GPES but elaborates several concepts as shown in Figure 4. First, the internal language introduces a polymorphic application operator \circ . As GPESIL is a translation of the source language, polymorphic applications $f e_2$ is translated into $e_f \circ e_2$ (when casts are inserted), so it does not lose the information that it is a polymorphic application.

$$\begin{array}{c}
\boxed{\Xi; \Gamma; \bar{x} \vdash e: T} \\
\text{Var} \frac{\Gamma(x) = T}{\Xi; \Gamma; \bar{x} \vdash x: T} \quad \text{Fn} \frac{\Xi_1; \Gamma, x: T_1; \bar{x}_1 \vdash e: T' \quad T' \lesssim T_2}{\Xi; \Gamma; \bar{x} \vdash (\lambda x: T_1 . e)^{T_2; \Xi_1; \bar{x}_1}: (x: T_1) \xrightarrow{\Xi_1} T_2} \\
\text{App} \frac{\widetilde{\text{adjust}}(\Xi); \Gamma; \bar{x} \vdash e_1: (y: T_1) \xrightarrow{\Xi_1} T_3 \quad \widetilde{\text{adjust}}(\Xi); \Gamma; \bar{x} \vdash e_2: T_2 \quad \Xi_1' = \Xi_1 \cup (\cup_{f \in (\bar{y} \setminus \bar{x})} \text{latent}_{\Gamma; \bar{x}}((\Gamma, y: T_2)(f))) \quad \Xi_1' \sqsubset \Xi \quad T_2 \lesssim T_1 \quad \widetilde{\text{check}}(\Xi)}{\Xi; \Gamma; \bar{x} \vdash e_1 e_2: T_3} \quad \text{AppP} \frac{\Gamma(f) = (y: T_1) \xrightarrow{\Xi_1} T_3 \quad \widetilde{\text{adjust}}(\Xi); \Gamma; \bar{x} \vdash e_2: T_2 \quad f \in \bar{x} \quad T_2 \lesssim T_1 \quad \widetilde{\text{check}}(\Xi)}{\Xi; \Gamma; \bar{x} \vdash f e_2: T_3} \\
\text{Eff} \frac{\Xi_1; \Gamma; \bar{x} \vdash e: T \quad \Xi_1 \sqsubset \Xi}{\Xi; \Gamma; \bar{x} \vdash (e :: \Xi_1): T}
\end{array}$$

Figure 3. Type rules of the source language

Second, new applications are inserted during translation which does not need to behave as regular applications. For this two new primitive operators are introduced: primitive application \bullet_{Γ} and primitive polymorphic application \bullet .

Third, a new term `ERROR` is introduced to indicate that a runtime effect check failed, and aborts the rest of the computation. The `has` operation checks for the availability of particular privilege sets at runtime. The `restrict` operation restricts the privileges available while evaluating its subexpression.

Finally, it adds three frames to represent evaluation contexts in our small-step semantics. One for applications and polymorphic applications f . Another frame for errors g . And last, a frame for the primitive operations h .

$v ::= \text{unit} \mid (\lambda x: T . e)^{T; \Xi; \bar{x}}$	Values
$e ::= x \mid v \mid e e \mid e \circ e \mid e \bullet_{\Gamma} e \mid e \bullet e \mid \text{Error} \mid \text{has } \Phi e \mid \text{restrict } \Xi e$	Terms
$T ::= \text{Unit} \mid (x: T) \xrightarrow{\Xi} T$	Types
$f ::= \square e \mid v \square \mid \square \circ e \mid v \circ \square$	Frames
$g ::= f \mid h \mid \text{has } \Phi \square \mid \text{restrict } \Phi \square$	Error Frames
$h ::= \square \bullet_{\Gamma} e \mid v \bullet_{\Gamma} \square \mid \square \bullet e \mid v \bullet \square$	Primitives Frames

Figure 4. Syntax of the internal language

3.2 Static Semantics

The type system of the internal language is presented in Figure 5. GPESIL mostly extends the source language with a few critical differences.

In the internal language, effectful operations must have enough privileges to be performed. [IApp] and [IAppP] represent the rules for application and polymorphic application. Both rules replace `check` with `strict-check`, consistent subtyping \lesssim : with subtyping $<$: , and the consistent containment \sqsubset : with containment \subseteq . Rule [IAppP] new applies to the new polymorphic application operator \circ because polymorphic variables f may be casted during translation and therefore translated into new expressions.

The primitive counterparts of rules [IApp] and [IAppP] rules are rules [IAprm] and [IAprmP] respectively. The mayor difference is that the primitive rules do not perform a `strict-check` given that they are “artificially” introduced. To calculate the latent effects of e_1 , [IAprm] uses Γ' instead of Γ to use the correct type of y during cast insertion as will be explained later in Section ??.

The `restrict` operator constrains its subexpression to be typable in a privilege set that is statically contained in the union of its current privilege set and the latent effects of the relative variables \bar{x} . For example the body of a `map` function that only produces the effects of its argument Ξ_1 , can restrict its body to some privilege set smaller than Ξ_1 , otherwise no restrictions could be inserted.

$$\begin{array}{c}
\boxed{\Xi; \Gamma; \bar{x} \vdash e : T} \\
\text{IUnit} \frac{}{\Xi; \Gamma; \bar{x} \vdash \text{unit} : \text{Unit}} \\
\text{IVar} \frac{\Gamma(x) = T}{\Xi; \Gamma; \bar{x} \vdash x : T} \\
\text{IFn} \frac{\Xi_1; \Gamma, x : T_1; \bar{x}_1 \vdash e : T' \quad T' < T_2}{\Xi; \Gamma; \bar{x} \vdash (\lambda x : T_1 . e)^{T_2; \Xi_1; \bar{x}_1} : (x : T_1) \xrightarrow{\bar{x}_1} T_2} \\
\text{IApp} \frac{\widetilde{\text{adjust}}(\Xi); \Gamma; \bar{x} \vdash e_1 : (y : T_1) \xrightarrow{\bar{y}} T_3 \quad \widetilde{\text{adjust}}(\Xi); \Gamma; \bar{x} \vdash e_2 : T_2 \quad T_2 < T_1 \quad |\Xi_1 \cup \text{lat}(\Gamma, y : T_2, \bar{y}, \bar{x})| \subseteq |\Xi| \quad \text{strict-check}(\Xi)}{\Xi; \Gamma; \bar{x} \vdash e_1 e_2 : T_3} \\
\text{IAppP} \frac{\widetilde{\text{adjust}}(\Xi); \Gamma; \bar{x} \vdash e_1 : (y : T_1) \xrightarrow{\bar{y}} T_3 \quad \widetilde{\text{adjust}}(\Xi); \Gamma; \bar{x} \vdash e_2 : T_2 \quad T_2 < T_1 \quad \text{strict-check}(\Xi)}{\Xi; \Gamma; \bar{x} \vdash e_1 \circ e_2 : T_3} \\
\text{IApprm} \frac{\Xi; \Gamma; \bar{x} \vdash e_1 : (y : T_1) \xrightarrow{\bar{y}} T_3 \quad \Xi; \Gamma; \bar{x} \vdash e_2 : T_2 \quad T_2 < T_1 \quad |\Xi_1 \cup \text{lat}(\Gamma', \bar{y}, \bar{x})| \subseteq |\Xi|}{\Xi; \Gamma; \bar{x} \vdash e_1 \bullet_{\Gamma'} e_2 : T_3} \\
\text{IApprmP} \frac{\Gamma(f) = (y : T_1) \xrightarrow{\bar{y}} T_3 \quad \Xi; \Gamma; \bar{x} \vdash e_2 : T_2 \quad T_2 < T_1}{\Xi; \Gamma; \bar{x} \vdash f \bullet e_2 : T_3} \\
\text{IHas} \frac{(\Phi \cup \Xi); \Gamma; \bar{x} \vdash e : T}{\Xi; \Gamma; \bar{x} \vdash \mathbf{has} \Phi e : T} \\
\text{IRst} \frac{\Xi_1; \Gamma; \bar{x} \vdash e : T \quad \Xi_1 \leq \Xi \cup (\cup_{f \in \bar{x}} \text{lat}_{\Gamma; \bar{x}}(\Gamma(f)))}{\Xi; \Gamma; \bar{x} \vdash \mathbf{restrict} \Xi_1 e : T} \\
\text{IError} \frac{}{\Xi; \Gamma; \bar{x} \vdash \text{Error} : T}
\end{array}$$

Figure 5. Type rules of the internal language

3.3 Dynamic Semantics

$$\begin{array}{c}
\boxed{\Phi \vdash e \rightarrow e'} \\
\text{EFrame} \frac{\widetilde{\text{adjust}}(\Phi) \vdash e \rightarrow e'}{\Phi \vdash f[e] \rightarrow f[e']} \\
\text{EError} \frac{}{\Phi \vdash g[\text{Error}] \rightarrow \text{Error}} \\
\text{EApp} \frac{\text{check}(\Phi)}{\Phi \vdash (\lambda x : T_1 . e)^{T_2; \Xi_1; \bar{x}_1} v \rightarrow [v/x]e} \\
\text{EAppP} \frac{\text{check}(\Phi)}{\Phi \vdash (\lambda x : T_1 . e)^{T_2; \Xi_1; \bar{x}_1} \circ v \rightarrow [v/x]e} \\
\text{EHasT} \frac{\Phi' \subseteq \Phi \quad \Phi \vdash e \rightarrow e'}{\Phi \vdash \mathbf{has} \Phi' e \rightarrow \mathbf{has} \Phi' e'} \\
\text{EHasV} \frac{}{\Phi \vdash \mathbf{has} \Phi' v \rightarrow v} \\
\text{EHasF} \frac{\Phi' \not\subseteq \Phi}{\Phi \vdash \mathbf{has} \Phi e \rightarrow \text{Error}} \\
\text{ERst} \frac{\Phi'' = \max(\{\Phi' \in \gamma(\Xi) \mid \Phi' \subseteq \Phi\}) \quad \Phi'' \vdash e \rightarrow e'}{\Phi \vdash \mathbf{restrict} \Xi e \rightarrow \mathbf{restrict} \Xi e'} \\
\text{ERstV} \frac{}{\Phi \vdash \mathbf{restrict} \Xi v \rightarrow v} \\
\text{EFrameprim} \frac{\Phi \vdash e \rightarrow e'}{\Phi \vdash h[e] \rightarrow h[e']} \\
\text{EAppprim} \frac{}{\Phi \vdash (\lambda x : T_1 . e)^{T_2; \Xi_1; \bar{x}_1} \bullet_{\Gamma'} v \rightarrow [v/x]e} \\
\text{EApprimP} \frac{}{\Phi \vdash (\lambda x : T_1 . e)^{T_2; \Xi_1; \bar{x}_1} \bullet v \rightarrow [v/x]e}
\end{array}$$

Figure 6. Evaluation rules of the internal language

GPESIL's dynamic semantics are presented in Figure 6. The evaluation judgement has the form $\Phi \vdash e \rightarrow e'$, meaning that e reduces to e' under the current privilege set Φ . The dynamic operations that are inserted either restrict the current privilege set (**restrict**) or check the current privilege set for a given effect privilege (**has**). These operations are inserted whenever the unknown effect is used in a typing derivation, to enforce the corresponding dynamic checks. If an effect check fails, a runtime effect error is raised.

The [EFrame], [EError] and [EFrameprim] are rules for reducing context frames f , g , and h respectively. The [EApp] and [EAppP] describes how an application of a lambda with a value reduces to the body by replacing the variable x with the value

v. Both rules are guarded by a **check** from the M&M framework. Just like [1], if this check fails, then the program is stuck; if programs never get stuck, then any effectful operation that is encountered must have the proper privileges to run. Rules [EApprim] and [EApprimP] are the rules for primitive applications and primitive polymorphic applications respectively. Both rules are identical save for the operation symbol. The [EHasT] rule reduces the expression e only if the checked privilege set Φ' is contained in the current privilege set. The [EHasV] rule describes how a **has** operation applied to a value reduces to the same value (values do not produce effects). In case the checked privilege set is not contained in the current privilege set, rule [EHasF] reduces to an `ERROR` which is propagated using [EError]. The [ERst] reduces a restricted expression e using the maximal privilege set Φ'' that is subcontained in the current privilege set *Phi*. The maximal set it is computed using the function *max* as shown in Figure 8. The [ERstV] reduces a restricted value into the same value.

4. Source to Internal Language Translation

$$\boxed{\Xi; \bar{x} \vdash e \Rightarrow e' : T}$$

$$\begin{array}{c}
\text{TVar} \frac{\Gamma(x) = T}{\Xi; \bar{x} \vdash x \Rightarrow x : T} \qquad \text{TUnit} \frac{}{\Xi; \bar{x} \vdash \text{unit} \Rightarrow \text{unit} : \text{Unit}} \\
\text{TFn} \frac{\Xi_1; \Gamma, x : T_1; \bar{x}_1 \vdash e \Rightarrow e' : T' \quad T' \lesssim T_2}{\Xi; \bar{x} \vdash (\lambda x : T_1 . e)^{T_2; \Xi_1; \bar{x}_1} \Rightarrow (\lambda x : T_1 . e')^{T_2; \Xi_1; \bar{x}_1} : (x : T_1) \xrightarrow{\Xi_1} T_2} \\
\text{TApp} \frac{\begin{array}{c} \widetilde{\text{adjust}}(\Xi); \Gamma; \bar{x} \vdash e_1 \Rightarrow e_1' : (y : T_1) \xrightarrow{\Xi_1} T_3 \\ \widetilde{\text{adjust}}(\Xi); \Gamma; \bar{x} \vdash e_2 \Rightarrow e_2' : T_2 \\ \Xi_1' = \Xi_1 \cup \text{lat}(\Gamma, y : T_2, \bar{y}, \bar{x}) \quad \Xi_1' \sqsubseteq \Xi \quad T_2 \lesssim T_1 \\ e_1'' = \langle\langle (y : T_2) \xrightarrow{\Xi} T_3 \leftarrow (y : T_1) \xrightarrow{\Xi_1} T_3 \rangle\rangle_{\Gamma}^{\text{true}} e_1' \end{array}}{\Xi; \bar{x} \vdash e_1 e_2 \Rightarrow \text{insert-has?}(\Phi, e_1'' e_2') : T_3} \quad \text{TAppP} \frac{\begin{array}{c} \Gamma(f) = (y : T_1) \xrightarrow{\Xi_1} T_3 \quad \widetilde{\text{adjust}}(\Xi); \Gamma; \bar{x} \vdash e_2 \Rightarrow e_2' : T_2 \\ \Gamma_f = \Gamma, f : (y : T_1) \xrightarrow{f} T_3 \\ e_f = \langle\langle (y : T_2) \xrightarrow{\Xi} T_3 \leftarrow (y : T_1) \xrightarrow{f} T_3 \rangle\rangle_{\Gamma_f}^{\text{false}} f \end{array}}{\Xi; \bar{x} \vdash f e_2 \Rightarrow \text{insert-has?}(\Phi, e_f \circ e_2') : T_3} \\
\text{TEff} \frac{\Xi_1; \Gamma; \bar{x} \vdash e \Rightarrow e' : T \quad \Xi_1 \sqsubseteq \Xi \quad \Phi = (|\Xi_1| \setminus |\Xi|)}{\Xi; \bar{x} \vdash (e :: \Xi_1) \Rightarrow \text{insert-has?}(\Phi, \text{restrict } \Xi_1 e') : T}
\end{array}$$

Figure 7. Transformation rules to the internal language

The dynamic semantics of GPES are defined by augmenting its type system to generate GPESIL expressions. The type judgement has the form $\Xi; \bar{x} \vdash e \Rightarrow e' : T$ where e is translated into e' . The translation uses static type and effect information from the source program to determine where runtime checks must be inserted.

Most of this translations are straightforward. The [TApp] describes the non-polymorphic function application. There are two main differences compared to [App]. First, a runtime check may be introduced using *insert-has?*, to determine whether the statically-missing privileges in Ξ to perform the application are available at runtime. This privilege set Φ is obtained using the metafunction Δ defined in [1] and presented in Figure 8, which computes the minimal set of additional privileges needed to safely pass the **check** verification. The metafunction *insert-has?* inserts a dynamic check for privileges only if the privilege set Φ is not empty. Second, a higher-order cast may be introduced to ensure that e_1' has the proper type to accept e_2' as argument. A subtlety here is that the relative effects of e_1' must be taken into consideration when inserting the cast. The cast is “compiled” at translation time as seen in Figure 8.

Rule [TAppP] is the transformation rule for applications of functions that are the parameter of an enclosing effect-polymorphic function. The compiled cast metafunction is inserted with a flag indicating to not insert dynamic checks for the effects of f . Notice how [TAppP] inserts a cast by altering Γ changing the effect information of f to be pure and polymorphic on itself (recursive functions). This way, when the cast is inserted, **restrict**, **has** and the primitive applications will considerate f to be pure. As previously noted, the casted expression e_f may loose the information about being a polymorphic function in the internal language. For this point, the application $f e_2$ is transformed replacing the regular application for a “polymorphic application” \circ .

5. Auxiliary Functions and Definitions

$$\boxed{\text{latent}_{\Gamma;\bar{x}}(T)}$$

$$\frac{\Xi_p = \cup_{f \in (\bar{y} \setminus \bar{x})} \text{latent}_{\Gamma;\bar{x}}((\Gamma, y: T_1)(f))}{\text{latent}_{\Gamma;\bar{x}}((y: T_1) \xrightarrow{\Xi} T_2) = \Xi \cup \Xi_p}$$

$$\langle\langle T_2 \Leftarrow T_1 \rangle\rangle_{\Gamma}^c e = \begin{cases} e & \text{if } T_1 <: T_2 \\ (\lambda f: T_1. \langle T_2 \Leftarrow T_1 \rangle_{\Gamma_l'}^c f)^{T_2'; \perp; \emptyset} \bullet_{\Gamma} e & \text{if } T_1 \not<: T_2, \text{ and } e \neq x \\ \langle T_2 \Leftarrow T_1 \rangle_{\Gamma_l'}^c x & \text{if } T_1 \not<: T_2, \text{ and } e = x \end{cases}$$

Where $T_2' <: T_2$, $\Gamma_l = (\Gamma, x_1: T_{21}, x_2: T_{11})$, $\Gamma_l' = (\Gamma_l, f: T_1)$, if $T_1 = (x_1: T_{11}) \xrightarrow{\Xi_1} T_{12}$, and $T_2 = (x_2: T_{21}) \xrightarrow{\Xi_2} T_{22}$

$$\text{lat}(\Gamma, \bar{x}_1, \bar{x}) = (\cup_{f \in (\bar{x}_1 \setminus \bar{x})} \text{latent}_{\Gamma;\bar{x}}(\Gamma(f)))$$

$$\begin{aligned} & \langle (x_2: T_{21}) \xrightarrow{\Xi_2} T_{22} \Leftarrow (x_1: T_{11}) \xrightarrow{\Xi_1} T_{12} \rangle_{\Gamma}^{\text{true}} f = \\ & (\lambda x: T_{21}. \langle\langle T_{22} \Leftarrow T_{12} \rangle\rangle_{\Gamma}^{\text{true}} \text{restrict} (\Xi_2 \cup \text{lat}(\Gamma, \bar{x}_2, \emptyset)) \text{has} |\Xi_1 \cup \text{lat}(\Gamma, \bar{x}_1, \bar{x}_2)| \setminus |\Xi_2| f \bullet_{\Gamma} (\langle\langle T_{11} \Leftarrow T_{21} \rangle\rangle_{\Gamma}^{x_2 \notin \bar{x}_2} x))^{T_{22}'; \Xi_2; \bar{x}_2} \end{aligned}$$

Where $T_{22}' <: T_{22}$

$$\begin{aligned} & \langle (x_2: T_{21}) \xrightarrow{\Xi_2} T_{22} \Leftarrow (x_1: T_{11}) \xrightarrow{\Xi_1} T_{12} \rangle_{\Gamma}^{\text{false}} f = \\ & (\lambda x: T_{21}. \langle\langle T_{22} \Leftarrow T_{12} \rangle\rangle_{\Gamma}^{\text{true}} \text{restrict} (\Xi_2 \cup \text{lat}(\Gamma, \bar{x}_2, \emptyset)) f \bullet (\langle\langle T_{11} \Leftarrow T_{21} \rangle\rangle_{\Gamma}^{x_2 \notin \bar{x}_2} x))^{T_{22}'; \Xi_2; \bar{x}_2} \end{aligned}$$

Where $T_{22}' <: T_{22}$

$$\text{insert-has}^?(\Phi, e) = \begin{cases} e & \text{if } \Phi = \emptyset \\ \text{has } \Phi e & \text{otherwise} \end{cases}$$

$$\Delta(\Xi) = \left(\bigcup \text{mins}(\{ \Phi \in \gamma(\Xi) \mid \text{check}(\Phi) \}) \right) \setminus |\Xi|$$

$$\text{mins}(\Upsilon) = \{ \Phi \in \Upsilon \mid \forall \Phi' \in \Upsilon. \Phi' \not<: \Phi \}$$

$$\text{max}(\Upsilon) = \{ \Phi \in \Upsilon \mid \forall \Phi' \in \Upsilon. \Phi' \sqsubseteq: \Phi \}$$

$$\text{strict-check}(\Xi) \iff \text{check}(\Phi) \text{ for all } \Phi \in \gamma(\Xi).$$

$$\Xi_1 \leq \Xi_2 \iff |\Xi_1| \sqsubseteq: |\Xi_2|$$

Figure 8. Auxiliary functions and definitions used in the gradual polymorphic effect system

The auxiliary functions and definitions are presented in Figure 8. The *latent* metafunction calculates the latent effects of a function type. It is the union of the concrete effect Ξ and the latent effects of its relative effects \bar{y} (analysing the relative effects types defined in Γ).

The cast compilation metafunction $\langle\langle \cdot \rangle\rangle_{\Gamma}^c$ inserts a cast only if static subtyping does not hold. The first novelty with respect to TGE is the boolean variable c , which indicates whether the cast must include the **has** check or not. The second novelty is that the cast are resolved during translation, contrast to TGE where casts are resolved during evaluation. For this, if the casted expression e is not a variable, it must be first reduced to a value and then perform the **has** and **restrict** operations. Therefore, the casted expression e is applied to a new lambda. This new lambda is “artificial” and does not need have permissions to perform an application, therefore the application is actually a “primitive” application. In case the expression e is a variable, no primitive application must be inserted. Notice that each case of the cast compilation metafunction changes the variable context Γ so it includes all free variables needed to calculate latent effects. Also in case of a cast from/to a polymorphic function, Γ is modified so it considers the effects of its argument as the check performed in [App] and [Tapp].

Cast themselves are defined by compilation to function wrappers. The function have two versions: one for non-polymorphic applications ($c = true$), and one for polymorphic applications ($c = false$). The polymorphic version does not insert a **has** operation and the primitive application is instead a primitive polymorphic application, i.e. it must not check for f privileges given that we are being polymorphic on that variable.

The general **restrict/has** scheme is the same as in TGE, except for two crucial differences to regain the flexibility of effect polymorphism. First, the **has** check is conditioned to the check flag c using *has?*. For the argument cast, c is true only if the target type of the cast is not polymorphic in its argument x_2 , i.e. $x_2 \notin \bar{x}_2$. Second, the inserted **restrict** and **has** must include the latent effects of the relative effect variables of both types, because they represent the maximal privilege set that x_2 and x_1 may produce. This adaptation of **restrict/has** corresponds to the flexibility of effect polymorphism: applying a function on which the expression is polymorphic is considered to not produce any effect (so, no **has**), but the permitted effects are bounded by the declared latent effects of that function (so, a richer **restrict**). Finally, the cast on the return type always inserts a dynamic check (there is no polymorphism on return values). In the translation rule [TApp], the higher-order cast starts with the check flag set to true, because the application is not polymorphic, while in rule [TAppP], the outer check flag is false. Notice that when the flag c is false, the primitive application is instead a primitive polymorphic application, i.e. it must not check for f privilege set given that f is part of the relative effect variables.

6. Proofs of Type Soundness

This section proves soundness of GPES. First we prove soundness of GPESIL by proving progress and preservation. Then we prove that the translation from GFT to GFTIL preserves typing and therefore proving soundness of GPES. Finally we present lemmas and propositions that are needed for this section.

6.1 Soundness of Internal Language

6.1.1 Progress

Theorem 1. (*Progress*).

Suppose $\Xi; \emptyset; \emptyset \vdash e : T$. Then either e is a value v , an `ERROR`, or $\Phi \vdash e \rightarrow e'$ for all privilege sets $\Phi \in \gamma(\Xi)$.

Proof. By structural induction over derivations of $\Xi; \emptyset; \bar{x} \vdash e : T$.

Case ([IUnit] and [IFn]). Both `unit` and $(\lambda x : T_1 . e)^{T_2; \Xi_1; \bar{x}_1}$ are values.

Case ([IVar]). This case cannot happen by hypothesis.

Case ([IError]). `Error` is an `ERROR`.

Case ([IRst]). By induction Hypothesis, e is either

- A value, in which case [ERstV] can be applied to `restrict` $\Xi' e$.
- An error, in which case [EError] can be applied with $g = \text{restrict } \Xi' \square$.
- $\forall \Phi' \in \gamma(\Xi')$, $\Phi' \vdash e \rightarrow e'$, in particular for the Φ' in the premise of [ERst], thus it can be applied. This Φ' exists because since $\Xi' \leq \Xi$ and there are no relative effect variables. Thus there $\exists \Phi' \in \gamma(\Xi')$ such that $\Phi' \subseteq \Phi$.

Case ([IHas]). . By induction Hypothesis, e is either

- a value, in which case [EHasV] applies.
- An error in which case rule [EError] applies with $g = \text{has } \Phi \square$.
- $\forall \Phi' \in \gamma(\Phi \cup \Xi)$, $\Phi' \vdash e \rightarrow e'$. We also know that for any $\Phi \in \gamma(\Xi)$, either
 - $\Phi' \not\subseteq \Phi$. In this case, rule [EHasF] applies.
 - $\Phi' \subseteq \Phi$. In this case, since $\Phi' \subseteq \Phi$ and $\Phi \in \gamma(\Xi)$, then also $\Phi \in \gamma(\Phi' \cup \Xi)$. Thus by hypothesis, $\Phi \vdash e \rightarrow e'$ and thus we can apply rule [EHasT].

Case ([IAprmP]). This case cannot happen by hypothesis.

Case ([IApp]). By induction Hypothesis, e_1 is either

- An `ERROR`, in which case [EError] applies with $g = \square e$.
- $\forall \Phi' \in \gamma(\widetilde{\text{adjust}}(\Xi))$, $\Phi' \vdash e_1 \rightarrow e_1'$. By Theorem 16, since $\Phi \in \gamma(\Xi)$, $\widetilde{\text{adjust}}(\Phi) \in \gamma(\widetilde{\text{adjust}}(\Xi))$ and thus $\widetilde{\text{adjust}}(\Phi) \vdash e_1 \rightarrow e_1'$ and rule [EFrame] can be applied.
- A value. By Lemma 5 then $e_1 = (\lambda x : T_1 . e)^{T_2; \Xi_1; \bar{x}}$
At the same time, also by induction hypothesis, e_2 is either:
 - An `ERROR`, in which case [EError] applies with $g = v \square$.
 - $\forall \Phi' \in \gamma(\widetilde{\text{adjust}}(\Xi))$, $\Phi' \vdash e_2 \rightarrow e_2'$. In which case by analogous arguments to the same case for e_1 , rule [EFrame] can be applied.
 - A value. By typing premises, also `strict-check`(Ξ). By definition of `strict-check`, then $\forall \Phi \in \gamma(\Xi)$. `check`(Φ), and thus for any $\Phi \in \gamma(\Xi)$ rule [EApp] can also be applied.

Case ([IAppP]). By induction Hypothesis, e_1 is either

- An `ERROR`, in which case [EError] applies with $g = \square e$.
- $\forall \Phi' \in \gamma(\widetilde{\text{adjust}}(\Xi))$, $\Phi' \vdash e_1 \rightarrow e_1'$. By Theorem 16, since $\Phi \in \gamma(\Xi)$, $\widetilde{\text{adjust}}(\Phi) \in \gamma(\widetilde{\text{adjust}}(\Xi))$ and thus $\widetilde{\text{adjust}}(\Phi) \vdash e_1 \rightarrow e_1'$ and rule [EFrame] can be applied.
- A value. By Lemma 5 then $e_1 = (\lambda x : T_1 . e)^{T_2; \Xi_1; \bar{x}}$
At the same time, also by induction hypothesis, e_2 is either:
 - An `ERROR`, in which case [EError] applies with $g = v \circ \square$.

- $\forall \Phi' \in \gamma(\widetilde{\text{adjust}}(\Xi)), \Phi' \vdash e_2 \rightarrow e_2'$. In which case by analogous arguments to the same case for e_1 , rule [EFrame] can be applied.
- A value. By typing premises, also **strict-check**(Ξ). By definition of **strict-check**, then $\forall \Phi \in \gamma(\Xi).\text{check}(\Phi)$, and thus for any $\Phi \in \gamma(\Xi)$ rule [EAppP] can also be applied.

Case ([IApprm]). By induction Hypothesis, e_1 is either

- An **ERROR**, in which case [EError] applies with $g = \square e$.
- $\forall \Phi' \in \gamma(\Xi), \Phi' \vdash e_1 \rightarrow e_1'$. Since $\Phi \in \gamma(\Xi)$ and thus $\Phi \vdash e_1 \rightarrow e_1'$ and rule [EFrameprim] can be applied.
- A value. By 5 then $e_1 = (\lambda x: T_1 . e)^{T_2; \Xi_1; \bar{x}}$

At the same time, also by induction hypothesis, e_2 is either:

- An **ERROR**, in which case [EError] applies with $g = v \square$.
- $\forall \Phi' \in \gamma(\Xi), \Phi' \vdash e_2 \rightarrow e_2'$. In which case by analogous arguments to the same case for e_1 , rule [EFrameprim] can be applied.
- A value. In this case [EAppprim] can be applied.

□

6.1.2 Preservation

Theorem 2 (Preservation). If $\Xi; \Gamma; \bar{x} \vdash e: T$, and $\Phi \vdash e \rightarrow e'$ for $\Phi \in \gamma(\Xi)$, then $\Xi; \Gamma; \bar{x} \vdash e': T'$ and $T' <: T$

Proof. By structural induction over the typing derivation and the applicable evaluation rules.

Case ([IFn], [IUnit], [IVar], [IAppP], [IAprmP] and [IError]). These rules are trivial since there is no rule in the operational semantics that takes these expressions as premises to step.

Case ([IApp] and [EFrame] with $f = \square t$). Thanks to Theorem 16, we can use the induction hypothesis to infer that $\widetilde{\text{adjust}}(\Xi); \Gamma; \bar{x} \vdash e_1': T_1' \xrightarrow{\Xi_1'} T_3'$ and $T_1' \xrightarrow{\Xi_1'} T_3' <: T_1 \xrightarrow{\Xi'} T_3'$. By definition of subtyping, $T_1 <: T_1'$ and therefore $T_2 <: T_1'$. By definition of latent effect and subtyping $|\Xi_1' \cup \text{lat}(\Gamma', \bar{y}', \bar{x})| \subseteq |\Xi_1 \cup \text{lat}(\Gamma, \bar{y}, \bar{x})|$ and therefore $|\Xi_1' \cup \text{lat}(\Gamma', \bar{y}', \bar{x})| \subseteq |\Xi|$. Thus we can reuse rule [IApp] to infer that $\Xi; \Gamma; \bar{x} \vdash e_1' e_2: T_3'$ and we know that $T_3' <: T_3$.

Case ([IApp] and [EFrame] with $f = v \square$). By Theorem 16 we can use the induction hypothesis to infer that $\widetilde{\text{adjust}}(\Xi); \Gamma; \bar{x} \vdash e_2': T_2'$ and $T_2' <: T_2$. Since $T_2 <: T_1$, then also $T_2' <: T_1$ and we can reuse rule [IApp] to infer that $\Xi; \Gamma; \bar{x} \vdash e_1 e_2': T_3$.

Case ([IApp] and [EApp]). In this case $e_1 = (\lambda y: T_1 . e)^{T_3; \Xi_1; \bar{y}}$ and $\Xi_1; \Gamma, y: T_1; \bar{y} \vdash e: T_3$. Thus by Theorem 18, $\Xi_1; \Gamma; \bar{y} \vdash [e_2/y] e: T_3$, with $T_3' <: T_3$. Then by Proposition 15, $\Xi; \Gamma; \bar{x} \vdash [e_2/y] e: T_3', T_3' <: T_3$.

Case ([IHas] and [EHasT]). $e = \mathbf{has} \Phi e'$. Therefore, application of [EHasT] takes the form
$$\frac{\Phi \subseteq: \Phi' \quad \Phi' \vdash e' \rightarrow e''}{\Phi' \vdash \mathbf{has} \Phi e' \rightarrow \mathbf{has} \Phi e''}$$
 with $\Phi' \in \gamma(\Xi)$.

Since $\Phi \subseteq: \Phi'$, then also $\Phi' \in \gamma(\Phi \cup \Xi)$ and then by induction hypothesis $\Phi \cup \Xi; \Gamma; \bar{x} \vdash e'': T', T' <: T$. We can then use rule [IHas] to infer that $\Xi; \Gamma; \bar{x} \vdash \mathbf{has} \Phi e'': T'$ too.

Case ([IHas] and [EHasV]). By induction hypothesis and Lemma 17, in particular Ξ instead of $\Phi \cup \Xi$

Case ([IHas] and [EHasF]). Trivial by using rule [IError]

Case ([IRst] and [ERst]). Since by rule [ERst] $\Phi'' \in \gamma(\Xi_1)$, we can use induction hypothesis to infer that $\Xi_1; \Gamma; \bar{x} \vdash e': T', T' <: T$. Then we reuse rule [IRst] to infer that $\Xi; \Gamma; \bar{x} \vdash \mathbf{restrict} \Xi_1 e': T$

Case ([IRst] and [ERstV]). By induction hypothesis and using Lemma 17, in particular Ξ instead of Ξ_1 (analogous to [IHas] and [EHasV]).

Case ([IAprm] and [EFrameprim]) with $h = \square_{\bullet\Gamma'} e$. We can use induction hypothesis to infer that $\Xi; \Gamma; \bar{x} \vdash e_1' : (y : T_1') \xrightarrow{\Xi_1'} \frac{\Xi_1'}{y} T_3'$ and $(y : T_1') \xrightarrow{\Xi_1'} \frac{\Xi_1'}{y} T_3' < : (y : T_1) \xrightarrow{\Xi_1} T_3$. By definition of subtyping, $T_1 < : T_1'$ and therefore $T_2 < : T_1'$. By definition of latent effect and subtyping $|\Xi_1' \cup \text{lat}(\Gamma', \bar{y}', \bar{x})| \subseteq : |\Xi_1 \cup \text{lat}(\Gamma, \bar{y}, \bar{x})|$ and therefore $|\Xi_1' \cup \text{lat}(\Gamma', \bar{y}', \bar{x})| \subseteq : |\Xi|$. Thus we can reuse rule [IAprm] to infer that $\Xi; \Gamma; \bar{x} \vdash e_1' e_2 : T_3'$ and $T_3' < : T_3$.

Case ([IAprm] and [EFrameprim]) with $h = v_{\bullet\Gamma'} \square$. By Theorem 16 we can use the induction hypothesis to infer that $\text{adjust}(\Xi); \Gamma; \bar{x} \vdash e_2' : T_2' < : T_2$.

Since $T_2 < : T_1$, then also $T_2' < : T_1$ and we can reuse rule [IAprm] to infer that $\Xi; \Gamma; \bar{x} \vdash e_1 e_2' : T_3$.

Case ([IAprm] and [EApprim]). In this case $e_1 = (\lambda y : T_1 . e)^{T_3; \Xi_1; \bar{y}}$ and $\Xi_1; \Gamma, y : T_1; \bar{y} \vdash e : T_3$.

Thus by Theorem 18, $\Xi_1; \Gamma; \bar{y} \vdash [e_2/y] e : T_3$, with $T_3' < : T_3$. Then by Proposition 15, $\Xi; \Gamma; \bar{x} \vdash [e_2/y] e : T_3', T_3' < : T_3$.

□

6.2 Translation Preserves Typing

Theorem 3 (Translation preserves typing). *If $\Xi; \Gamma; \bar{x} \vdash e \Rightarrow e' : T$ in the source language then $\Xi; \Gamma; \bar{x} \vdash e' : T$ in the internal language.*

Proof. By Case analysis

Case ([TUnit] and [TVar]). Using the rule premises we can trivially apply rules [IUnit] and [IVar], respectively.

Case ([TApp]). 1. By assumption

(a) $\Xi; \Gamma; \bar{x} \vdash e_1 e_2 \Rightarrow \text{insert-has}^?(\Phi, e_1'' e_2')$

2. By induction on 1a

(a) $\widetilde{\text{adjust}}(\Xi); \Gamma; \bar{x} \vdash e_1' : (y : T_1) \xrightarrow{\Xi_1} T_3$

(b) $\widetilde{\text{adjust}}(\Xi); \Gamma; \bar{x} \vdash e_2' : T_2$

3. We also know that $T_2 \lesssim : T_1$ and $\Xi_1' \sqsubseteq : \Xi$, then $(y : T_1) \xrightarrow{\Xi_1} T_3 \lesssim (y : T_2) \xrightarrow{\Xi} T_3$.

4. Since $e_1' \notin \bar{x}$, then $\widetilde{\text{adjust}}(\Xi); \Gamma; \bar{x} \vdash \langle\langle (y : T_2) \xrightarrow{\Xi} T_3 \Leftarrow (y : T_1) \xrightarrow{\Xi_1} T_3 \rangle\rangle_{\Gamma}^{\text{false}} e_1' : (y : T_2') \xrightarrow{\Xi'} T_3$ and $(y : T_2') \xrightarrow{\Xi'} T_3 < : (y : T_2) \xrightarrow{\Xi} T_3$ by 1a, 3 and proposition 20.

5. Since $\widetilde{\text{check}}(\Xi)$, by lemma 19, we know that $\text{strict-check}(\Delta(\Xi) \cup \Xi)$

6. Finally we proceed on the cases for $\text{insert-has}^?$.

(a) $\Phi = \emptyset$. In this case, we also know that $\text{strict-check}(\Xi)$ because $\emptyset \cup \Xi = \Xi$. Then we can apply rule [IApp] to infer that $\Xi; \Gamma; \bar{x} \vdash \langle\langle (y : T_2) \xrightarrow{\Xi} T_3 \Leftarrow (y : T_1) \xrightarrow{\Xi_1} T_3 \rangle\rangle_{\Gamma}^{\text{false}} e_1' e_2 : T_3$

(b) $\Phi \neq \emptyset$

i. $\widetilde{\text{adjust}}(\Delta(\Xi) \cup \Xi); \Gamma; \bar{x} \vdash \langle\langle (y : T_2) \xrightarrow{\Xi} T_3 \Leftarrow (y : T_1) \xrightarrow{\Xi_1} T_3 \rangle\rangle_{\Gamma}^{\text{false}} e_1' : (y : T_2') \xrightarrow{\Xi'} T_3$ by 4, privilege monotonicity and subsumption proposition 15

ii. $\widetilde{\text{adjust}}(\Delta(\Xi) \cup \Xi); \Gamma; \bar{x} \vdash e_2' : T_2$ by 2b, privilege monotonicity and subsumption proposition 15

iii. $\Delta(\Xi) \cup \Xi; \Gamma; \bar{x} \vdash \langle\langle (y : T_2) \xrightarrow{\Xi} T_3 \Leftarrow (y : T_1) \xrightarrow{\Xi_1} T_3 \rangle\rangle_{\Gamma}^{\text{false}} e_1' e_2' : T_3$ by i, ii, 5 and [IApp]

iv. $\Xi; \Gamma; \bar{x} \vdash \text{has } \Delta(\Xi) \left(\langle\langle (y : T_2) \xrightarrow{\Xi} T_3 \Leftarrow (y : T_1) \xrightarrow{\Xi_1} T_3 \rangle\rangle_{\Gamma}^{\text{false}} e_1' e_2 \right) : T_3$ by [IHas]

Case ([TAppP]). 1. By assumption

(a) $\Xi; \Gamma; \bar{x} \vdash f e_2 \Rightarrow \text{insert-has}^?(\Phi, e_f \circ e_2')$

2. $\widetilde{\text{adjust}}(\Xi); \Gamma; \bar{x} \vdash e_2' : T_2$, by induction on 1a.

3. We also know that $T_2 \lesssim : T_1$.

4. Since $\widetilde{\text{check}}(\Xi)$, by 19, we know that $\text{strict-check}(\Delta(\Xi) \cup \Xi)$

5. We proceed by cases for $\langle\langle (y: T_2) \xrightarrow{\Xi} T_3 \Leftarrow (y: T_1) \xrightarrow{f} T_3 \rangle\rangle_{\Gamma}^{false} f$

Case $\langle\langle (y: T_1) \xrightarrow{f} T_3 \Leftarrow (y: T_2) \xrightarrow{\Xi} T_3 \rangle\rangle$. Then

(a) $\langle\langle (y: T_2) \xrightarrow{\Xi} T_3 \Leftarrow (y: T_1) \xrightarrow{f} T_3 \rangle\rangle_{\Gamma}^{false} f = f$

(b) Finally we proceed on the cases for insert-has?.

i. $\Phi = \emptyset$. In this case, we also know that **strict-check**(Ξ) because $\emptyset \cup \Xi = \Xi$. We can apply rule [IAAppP], to infer that $\Xi; \Gamma; \bar{x} \vdash f \circ e_2: T_3$.

ii. $\Phi \neq \emptyset$

A. $\Gamma(f) = (y: T_1) \xrightarrow{\frac{\Xi_1}{y}} T_3$

B. $\widetilde{\text{adjust}}(\Delta(\Xi) \cup \Xi); \Gamma; \bar{x} \vdash e_2': T_2$ by 2b, privilege monotonicity and subsumption proposition ??

C. $\Delta(\Xi) \cup \Xi; \Gamma; \bar{x} \vdash f e_2': T_3$ by A, B, 4 and [IAAppP].

D. $\Xi; \Gamma; \bar{x} \vdash \mathbf{has} \Delta(\Xi) \left(\langle\langle (y: T_2) \xrightarrow{\Xi} T_3 \Leftarrow (y: T_1) \xrightarrow{f} T_3 \rangle\rangle_{\Gamma}^{false} f \right) \circ e_2 : T_3$ by [IHas]

Case $\langle\langle (y: T_1) \xrightarrow{f} T_3 \Leftarrow (y: T_2) \xrightarrow{\Xi} T_3 \rangle\rangle$. Then

(a) $\langle\langle (y: T_2) \xrightarrow{\Xi} T_3 \Leftarrow (y: T_1) \xrightarrow{f} T_3 \rangle\rangle_{\Gamma}^{false} f = \langle\langle (y: T_2) \xrightarrow{\Xi} T_3 \Leftarrow (y: T_1) \xrightarrow{f} T_3 \rangle\rangle_{\Gamma_i}^{false} f$

(b) $\widetilde{\text{adjust}}(\Xi); \Gamma; \bar{x} \vdash \langle\langle (y: T_2) \xrightarrow{\Xi} T_3 \Leftarrow (y: T_1) \xrightarrow{f} T_3 \rangle\rangle_{\Gamma_i}^{false} f: (y: T_2) \xrightarrow{\Xi} T_3$ from proposition 21.

(c) Finally we proceed on the cases for insert-has?.

i. $\Phi = \emptyset$. In this case, we also know that **strict-check**(Ξ) because $\emptyset \cup \Xi = \Xi$. Then we can apply [IAAppP] to infer that $\Xi; \Gamma; \bar{x} \vdash \langle\langle (y: T_2) \xrightarrow{\Xi} T_3 \Leftarrow (y: T_1) \xrightarrow{f} T_3 \rangle\rangle_{\Gamma}^{false} f \circ e_2: T_3$.

ii. $\Phi \neq \emptyset$

A. $\widetilde{\text{adjust}}(\Delta(\Xi) \cup \Xi); \Gamma; \bar{x} \vdash \langle\langle (y: T_2) \xrightarrow{\Xi} T_3 \Leftarrow (y: T_1) \xrightarrow{f} T_3 \rangle\rangle_{\Gamma_i}^{false} f: (y: T_2) \xrightarrow{\Xi} T_3$ by 4, privilege monotonicity and subsumption proposition ??

B. $\widetilde{\text{adjust}}(\Delta(\Xi) \cup \Xi); \Gamma; \bar{x} \vdash e_2': T_2$ by 2b, privilege monotonicity and subsumption proposition ??

C. $\Delta(\Xi) \cup \Xi; \Gamma; \bar{x} \vdash \langle\langle (y: T_2) \xrightarrow{\Xi} T_3 \Leftarrow (y: T_1) \xrightarrow{f} T_3 \rangle\rangle_{\Gamma}^{false} f \circ e_2': T_3$ by A, B, 4 and [IAAppP].

D. $\Xi; \Gamma; \bar{x} \vdash \mathbf{has} \Delta(\Xi) \left(\langle\langle (y: T_2) \xrightarrow{\Xi} T_3 \Leftarrow (y: T_1) \xrightarrow{f} T_3 \rangle\rangle_{\Gamma}^{false} f \right) \circ e_2' : T_3$ by [IHas]

□

6.3 Auxiliary Lemmas and Propositions

All lemmas and propositions that are identical or based on a lemma or proposition of TGE [1] are presented indicating its original number in TGE accompanied by a star “*”.

Property 1 (Privilege Monotonicity). (Property 1*)

- If $\Phi_1 \subseteq \Phi_2$ then **check**(Φ_1) \implies **check**(Φ_2);
- If $\Phi_1 \subseteq \Phi_2$ then **adjust**(Φ_1) \subseteq **adjust**(Φ_2).

Definition 1 (Consistent Adjust). (Definition 6*)

Let $\widetilde{\text{adjust}} : \mathbf{CPrivSet} \rightarrow \mathbf{CPrivSet}$ be defined as follows:

$$\widetilde{\text{adjust}}(\Xi) = \alpha(\{\text{adjust}(\Phi) \mid \Phi \in \gamma(\Xi)\}).$$

Lemma 4 (Lemma 12*). $\forall \Phi \in \gamma(\Xi), |\Xi| \subseteq \Phi$.

Proof. By definition of $|\cdot|$,

$$|\Xi| = \bigcap_{\Phi \in \gamma(\Xi)} \Phi$$

and then the lemma follows by definition of intersection. □

Proposition 5 (Proposition 13*). $|\Xi| = \Xi \setminus \{i\}$

Proof. By cases on the definition of γ .

Case ($i \notin \Xi$). Then $|\Xi| = \bigcap \{\Xi\} = \Xi = \Xi \setminus \{i\}$.

Case ($i \in \Xi$). Then $|\Xi| = \bigcap \{(\Xi \setminus \{i\}) \cup \Phi \mid \Phi \in \mathcal{P}(\mathbf{PrivSet})\} = \Xi \setminus \{i\}$

□

Lemma 6 (Lemma 14*). $|\Xi| \in \gamma(\Xi)$.

Proof. By cases on the definition of γ :

Case ($i \notin \Xi$). Since γ produces a singleton with Ξ , intersection over the singleton retrieves Ξ .

Case ($i \in \Xi$). Since $\emptyset \in \mathcal{P}(\mathbf{CPrivSet})$, $\Xi \setminus \{i\} \in \gamma(\Xi)$, which also is the intersection of every possible set in $\gamma(\Xi)$.

□

Lemma 7 (Lemma 15*). $\Xi_1 \subseteq \Xi_2 \Rightarrow \Xi_1 \leq \Xi_2$.

Proof. By Proposition 6 and definition of \subseteq , $\Xi_1 \subseteq \Xi_2$, which is the definition of \leq .

□

Lemma 8 (Lemma 16*). $\Xi_1 \leq \Xi_2$ and *strict-check*(Ξ_1) \Rightarrow *strict-check*(Ξ_2)

Proof. Since *strict-check*(Ξ_1), then $\forall \Phi \in \gamma(\Xi_1)$, **check**(Φ). In particular, by Lemma 7, **check**($|\Xi_1|$). By Privilege Monotonicity Property 1 for **check**, therefore, **check**($|\Xi_2|$). Then by Property 1 for **check** and by lemma 4, **check**(Φ) $\forall \Phi \in \Xi_2$ and thus *strict-check*(Ξ_2).

□

Lemma 9 (Lemma 17*). If *strict-check*(Ξ_1) and $\Xi_1 \subseteq \Xi_2$ then *strict-check*(Ξ_2).

Proof. By lemma 8, $\Xi_1 \leq \Xi_2$. Therefore, the lemma follows from Lemma 9.

□

Lemma 10 (Lemma 18*). $|\alpha(\Upsilon)| = \bigcap \Upsilon$, for $\Upsilon \neq \emptyset$.

Proof. By cases on the definition of $\alpha(\Upsilon)$.

Case ($\Upsilon = \{\Phi\}$ branch). then $\Phi = \alpha(\Upsilon)$, and since $\text{dom}(\alpha) = \mathcal{P}(\mathbf{PrivSet})$, $i \notin \Phi$. Therefore $\gamma(\Phi) = \Upsilon$, and therefore by definition of $|\cdot|$, $|\alpha(\Upsilon)| = \bigcap \Upsilon$.

Case (otherwise branch). Then $\alpha(\Upsilon) = (\bigcap \Upsilon) \cup \{i\}$. Thus $|\alpha(\Upsilon)| = \bigcap \{(\bigcap \Upsilon) \cup \Phi \mid \Phi \in \mathcal{P}(\mathbf{PrivSet})\}$ and thus $|\alpha(\Upsilon)| = \bigcap \Upsilon$.

□

Lemma 11 (Lemma 19*). If $\bigcap(\Upsilon_1) \in \Upsilon_1$ and $\bigcap(\Upsilon_1) \subseteq \bigcap(\Upsilon_2)$, then $\bigcap \{\mathbf{adjust}(\Phi) \mid \forall \Phi \in \Upsilon_1\} \subseteq \bigcap \{\mathbf{adjust}(\Phi) \mid \forall \Phi \in \Upsilon_2\}$.

Proof. Suppose $\bigcap(\Upsilon_1) \in \Upsilon_1$ and $\bigcap(\Upsilon_1) \subseteq \bigcap(\Upsilon_2)$. Now suppose $\phi \in \bigcap \{\mathbf{adjust}(\Phi) \mid \forall \Phi \in \Upsilon_1\}$. Then since $\bigcap(\Upsilon_1) \in \Upsilon_1$, in particular $\phi \in \mathbf{adjust}(\bigcap(\Upsilon_1))$ too.

Now let $\Phi \in \Upsilon_2$. Since $\bigcap(\Upsilon_1) \subseteq \bigcap(\Upsilon_2)$, it follows that $\bigcap(\Upsilon_1) \subseteq \Phi$. So by monotonicity, $\phi \in \mathbf{adjust}(\Phi)$.

Thus, since Φ is arbitrary, $\phi \in \mathbf{adjust}(\Phi)$ for all $\Phi \in \Upsilon_2$ and thus $\phi \in \bigcap \{\mathbf{adjust}(\Phi) \mid \forall \Phi \in \Upsilon_2\}$.

□

Lemma 12 (Lemma 20*). If $\Xi_1 \leq \Xi_2$ then $\widetilde{\mathbf{adjust}}(\Xi_1) \leq \widetilde{\mathbf{adjust}}(\Xi_2)$

Proof. By definition of \leq and $|\cdot|$, $\bigcap(\gamma(\Xi_1)) \subseteq \bigcap(\gamma(\Xi_2))$. Also, by Lemma 7, $\bigcap(\gamma(\Xi_1)) \in \gamma(\Xi_1)$. Thus, by Lemma 12, $\bigcap \{\mathbf{adjust}(\Phi) \mid \forall \Phi \in \gamma(\Xi_1)\} \subseteq \bigcap \{\mathbf{adjust}(\Phi) \mid \forall \Phi \in \gamma(\Xi_2)\}$.

Given that by definition of γ , for any $\Xi \in \gamma(\Xi) \neq \emptyset$, we can infer by Lemma 11 that $|\alpha(\{\mathbf{adjust}(\Phi) \mid \forall \Phi \in \gamma(\Xi_1)\})| \subseteq |\alpha(\{\mathbf{adjust}(\Phi) \mid \forall \Phi \in \gamma(\Xi_2)\})|$. By definition of $\widetilde{\mathbf{adjust}}$, this is equivalent to $|\widetilde{\mathbf{adjust}}(\Xi_1)| \subseteq |\widetilde{\mathbf{adjust}}(\Xi_2)|$, which at the same time is the definition of $\widetilde{\mathbf{adjust}}(\Xi_1) \leq \widetilde{\mathbf{adjust}}(\Xi_2)$.

□

Lemma 13 (Lemma 21*). If $\Xi_1; \Gamma; \bar{x} \vdash e: T$ and $\Xi_1 \leq \Xi_2$, then $\Xi_2; \Gamma; \bar{x} \vdash e: T$.

Proof. By structural induction over the typing derivations for $\Xi_1; \Gamma; \bar{x} \vdash e : T$.

Case (Rules [IFn], [IUnit], [IVar], [IError]). All of these rules do not enforce a restriction between the Ξ_2 in the conclusions and any Ξ (if existent) in the premises, so the same rule can be directly re-used to infer $\Xi_2; \Gamma; \bar{x} \vdash e : T$.

Case (Rule [IApp]). By lemma 13, since $\Xi_1 \leq \Xi_2$, $\widetilde{\text{adjust}}(\Xi_1) \leq \widetilde{\text{adjust}}(\Xi_2)$.

Thus by induction hypothesis, we can infer both that $\widetilde{\text{adjust}}(\Xi_2); \Gamma; \bar{x} \vdash e_1 : T_1 \xrightarrow{\Xi'/\bar{y}} T_3$ and that $\widetilde{\text{adjust}}(\Xi_2); \Gamma; \bar{x} \vdash e_2 : T_2$.

By Lemma 9, we also know that **strict-check**(Ξ_2).

By hypothesis we also know that $T_2 < T_1$ and $|\Xi' \cup \text{lat}(\Gamma, \bar{y}, \bar{x})| \subseteq |\Xi_1|$, and then we can use rule [IApprm] to infer that $\Xi_2; \Gamma; \bar{x} \vdash e_1 \circ e_2 : T_3$.

Case (Rule [IAppP]). By lemma 13, since $\Xi_1 \leq \Xi_2$, $\widetilde{\text{adjust}}(\Xi_1) \leq \widetilde{\text{adjust}}(\Xi_2)$.

Thus by induction hypothesis, we can infer both that $\widetilde{\text{adjust}}(\Xi_2); \Gamma; \bar{x} \vdash e_1 : T_1 \xrightarrow{\Xi'/\bar{y}} T_3$ and that $\widetilde{\text{adjust}}(\Xi_2); \Gamma; \bar{x} \vdash e_2 : T_2$.

By Lemma 9, we also know that **strict-check**(Ξ_2).

By hypothesis we also know that $T_2 < T_1$ and then we can use rule [IAppP] to infer that $\Xi_2; \Gamma; \bar{x} \vdash e_1 \circ e_2 : T_3$.

Case (Rule [IAprm]). By lemma 13, since $\Xi_1 \leq \Xi_2$, $\widetilde{\text{adjust}}(\Xi_1) \leq \widetilde{\text{adjust}}(\Xi_2)$.

Thus by induction hypothesis, we can infer both that $\widetilde{\text{adjust}}(\Xi_2); \Gamma; \bar{x} \vdash e_1 : T_1 \xrightarrow{\Xi'/\bar{y}} T_3$ and that $\widetilde{\text{adjust}}(\Xi_2); \Gamma; \bar{x} \vdash e_2 : T_2$.

By hypothesis we also know that $T_2 < T_1$ and $|\Xi' \cup \text{lat}(\Gamma', \bar{y}, \bar{x})| \subseteq |\Xi_1|$, and then we can use rule [IAprm] to infer that $\Xi_2; \Gamma; \bar{x} \vdash e_1 \bullet_{\Gamma'} e_2 : T_3$.

Case (Rule [IAprmP]). By lemma 13, since $\Xi_1 \leq \Xi_2$, $\widetilde{\text{adjust}}(\Xi_1) \leq \widetilde{\text{adjust}}(\Xi_2)$.

Thus by induction hypothesis, we can infer that $\widetilde{\text{adjust}}(\Xi_2); \Gamma; \bar{x} \vdash e_2 : T_2$.

By hypothesis we also know that $T_2 < T_1$, and then we can use rule [IAprmP] to infer that $\Xi_2; \Gamma; \bar{x} \vdash f \bullet e_2 : T_3$.

Case ([IHas]). Since by hypothesis, $|\Xi_1| \subseteq |\Xi_2|$, in particular we know that $\Phi \cup |\Xi_1| \subseteq \Phi \cup |\Xi_2|$. We know that $|\Phi \cup \Xi| = \Phi \cup |\Xi|$, then $|\Phi \cup \Xi_1| \subseteq |\Phi \cup \Xi_2|$ and thus $\Phi \cup \Xi_1 \leq \Phi \cup \Xi_2$.

By induction hypothesis, $\Phi \cup \Xi_2; \Gamma; \bar{x} \vdash e : T$. Then we can use rule [IHas] to infer that $\Xi_2; \Gamma; \bar{x} \vdash \mathbf{has} \ \Phi \ e : T$.

Case (Rule [IRst]). ($\Xi_1; \Gamma; \bar{x} \vdash \mathbf{restrict} \ \Xi' \ e : T$)

By hypothesis we know that $\Xi' \leq \Xi_1$ and thus by transitivity of \subseteq , $\Xi' \leq \Xi_2$. Therefore, we can use rule [IRst] with the premises of the hypothesis to infer that $\Xi_2; \Gamma; \bar{x} \vdash \mathbf{restrict} \ \Xi' \ e : T$.

□

Proposition 14 (Subsumption). (Lemma 22*) If $\Xi_1; \Gamma; \bar{x} \vdash e : T$ and $\Xi_1 \subseteq \Xi_2$, then $\Xi_2; \Gamma; \bar{x} \vdash e : T$.

Proof. By Lemma 8, $\Xi_1 \leq \Xi_2$. Thus, by String Subsumption Lemma 14, $\Xi_2; \Gamma; \bar{x} \vdash e : T$.

□

Lemma 15 (Canonical Values). (Lemma 25*)

1. If $\Xi; \Gamma; \bar{x} \vdash v : \text{Unit}$, then $v = \text{unit}$
2. If $\Xi; \Gamma; \bar{x} \vdash v : T_1 \xrightarrow{\Xi_1/\bar{x}_1} T_2$, then $v = (\lambda x : T_1 . e)^{T_2; \Xi_1; \bar{x}}$

Proof. The only rules for typing values in our type system are [IUnit], [IFn] and [IFnprm], respectively. They associate the type premises with the expressions in the conclusions. □

Theorem 16 (Theorem 26*). $\Phi \in \gamma(\Xi) \Rightarrow \text{adjust}(\Phi) \in \gamma(\widetilde{\text{adjust}}(\Xi))$.

Proof. Let $\Phi \in \gamma(\Xi)$. Then $\text{adjust}(\Phi) \in \{\text{adjust}(\Phi') \mid \Phi' \in \gamma(\Xi)\}$.

By Proposition 1, $\{\text{adjust}(\Phi') \mid \Phi' \in \gamma(\Xi)\} \subseteq \gamma(\alpha(\{\text{adjust}(\Phi') \mid \Phi' \in \gamma(\Xi)\}))$, which by Definition 1 is equivalent to $\gamma(\widetilde{\text{adjust}}(\Xi))$. □

Lemma 17 (Lemma 28*).

1. $\Xi; \Gamma; \bar{x} \vdash v : T \Rightarrow \Xi'; \Gamma \vdash v : T$
2. $\Xi; \Gamma; \bar{x} \vdash x : T \Rightarrow \Xi'; \Gamma \vdash x : T$

Proof. 1. We proceed by cases on v .

Case (unit). Then we can use rule [IUnit] for any other Ξ' .

Case $((\lambda x: T_1 . e)^{T_2; \Xi_1; \bar{y}})$. There is only one typing rule for functions. We can reuse the same [IFn] To type the function to the same type in a context Ξ' by reusing the original premise.

2. There is only one rule for typing variable identifiers, [IVar]. Since the lemma preserves the environment Γ , we can use rule [IVar] to type the identifier in any Ξ' context. □

Theorem 18 (Preservation of types under substitution). (*Theorem 29**) If $\Xi; \Gamma, x: T_1; \bar{x} \vdash e_3: T_3$ and $\Xi; \Gamma; \bar{x} \vdash v: T_2$ with $T_2 <: T_1$, then $\Xi; \Gamma; \bar{x} \vdash [e_2/x] e_3: T'$ and $T' <: T_3$.

Proof. By structural induction over the typing derivation for e_2 .

Case ([IUnit] and [IError]). Trivial since substitution does not change the expression.

Case ([IVar]). By definition of substitution, the interesting cases are:

- $e_3 = y \neq x$ ($[v/x] y = y$). Then by assumption we know that $\Gamma(y) = T_3$ and thus we can infer that $\Xi; \Gamma; \bar{x} \vdash y: T_3$.
- $e_3 = x$ ($[v/x] x = e_2$). Then by the theorem hypothesis we know that $\Xi; \Gamma; \bar{x} \vdash v: T_2$. We also know that $\Xi; \Gamma, x: T_1; \bar{x} \vdash x: T_3$, which means that $T_3 = T_1$ and thus $T' = T_2 <: T_1 = T_3$.

Case ([IFn]).

- $(\lambda x: T . e)^{T_2; \Xi_1; \bar{y}}$. Then substitution does not affect the body and thus we reuse the original type derivation.
- $(\lambda y: T . e)^{T_2; \Xi_1; \bar{y}}$. Then by induction hypothesis, substitution of the body preserves typing and thus rule [IFn] can be used to reconstruct the type for the modified expression.

Case ([IHas] and [IRst]). Analogous to the case for [IFn], since substitution for these expression is defined just as recursive calls to substitution for the premises in the typing rules.

Case ([IApp]). By Lemma 17, we can infer that $\Xi'; \Gamma; \bar{x} \vdash v: T_2$, in particular for $\Xi' = \widetilde{\text{adjust}}(\Xi)$. Thus we can use our induction hypotheses to in both subexpressions of $e_3 = e'_1 e'_2$.

Therefore, while $\widetilde{\text{adjust}}(\Xi); \Gamma; \bar{x} \vdash e'_1: (y: T'_1) \xrightarrow[\bar{y}]{\Xi'} T'_3$ and $\widetilde{\text{adjust}}(\Xi); \Gamma; \bar{x} \vdash e'_2: T'_2$ with $T'_2 <: T'_1$ and $|\Xi' \cup \text{lat}(\Gamma, \bar{y}, \bar{x})| \subseteq: |\Xi|$ also $\widetilde{\text{adjust}}(\Xi); \Gamma; \bar{x} \vdash [v/x] e'_1: T''_1 \xrightarrow[\bar{y}]{\Xi''} T''_3$ and $\widetilde{\text{adjust}}(\Xi); \Gamma; \bar{x} \vdash [v/x] e'_2: T''_2$ with $T''_1 \xrightarrow[\bar{y}]{\Xi''} T''_3 <: T'_1 \xrightarrow[\bar{y}]{\Xi'} T'_3$ and $T''_2 <: T'_2$.

We therefore know that $T''_2 <: T''_1$, $|\Xi'' \cup \text{lat}(\Gamma, \bar{y}, \bar{x})| \subseteq: |\Xi|$ and we can use rule [IApp] to infer back that $\Xi; \Gamma; \bar{x} \vdash [e_2/x] e'_1 [e_2/x] e'_2: T''_3$, and by transitivity of subtyping, $T''_3 <: T_3$.

Case ([IAppP]). By Lemma 17, we can infer that $\Xi'; \Gamma; \bar{x} \vdash v: T_2$, in particular for $\Xi' = \widetilde{\text{adjust}}(\Xi)$. Thus we can use our induction hypotheses to in both subexpressions of $e_3 = e'_1 \circ e'_2$.

Therefore, while $\widetilde{\text{adjust}}(\Xi); \Gamma; \bar{x} \vdash e'_1: (y: T'_1) \xrightarrow[\bar{y}]{\Xi'} T'_3$ and $\widetilde{\text{adjust}}(\Xi); \Gamma; \bar{x} \vdash e'_2: T'_2$ with $T'_2 <: T'_1$ also $\widetilde{\text{adjust}}(\Xi); \Gamma; \bar{x} \vdash [v/x] e'_1: T''_1 \xrightarrow[\bar{y}]{\Xi''} T''_3$ and $\widetilde{\text{adjust}}(\Xi); \Gamma; \bar{x} \vdash [v/x] e'_2: T''_2$ with $T''_1 \xrightarrow[\bar{y}]{\Xi''} T''_3 <: T'_1 \xrightarrow[\bar{y}]{\Xi'} T'_3$ and $T''_2 <: T'_2$.

We therefore know that $T''_2 <: T''_1$ and we can use rule [IAppP] to infer back that $\Xi; \Gamma; \bar{x} \vdash [e_2/x] e'_1 \circ [e_2/x] e'_2: T''_3$, and by transitivity of subtyping, $T''_3 <: T_3$. □

Lemma 19 (lemma 33*). $\widetilde{\text{check}}(\Xi) \Rightarrow \text{strict-check}(\Delta(\Xi) \cup \Xi)$

i.e. If $\text{check}(\Phi)$ for some $\Phi \in \gamma(\Xi)$, then $\text{check}(\Phi)$ for every $\Phi \in \gamma(\Delta(\Xi) \cup \Xi)$.

Proof. Suppose $\text{check}(\Phi)$ for some $\Phi \in \gamma(\Xi)$

Then $\Upsilon = \{\Phi \in \gamma(\Xi) \mid \text{check}(\Phi)\} \neq \emptyset$ so $\Phi = \bigcup \text{mins}(\Upsilon)$ exists.

Furthermore, by M & M monotonicity, $\text{check}(\Phi)$.

Note that $\Phi \subseteq: \Phi \setminus |\Xi| \cup \Xi = \Delta(\Xi) \cup \Xi$, so if $\Phi_2 \in \gamma(\Delta(\Xi) \cup \Xi)$ then $\Phi \subseteq: \Phi_2$ and by M & M monotonicity, $\text{check}(\Phi_2)$. □

Proposition 20. *If $\Xi; \Gamma; \bar{x} \vdash e : T_1$, $e \notin \bar{x}$ and $T_1 \lesssim T_2$ in the internal language, then $\Xi; \Gamma; \bar{x} \vdash \langle\langle T_2 \Leftarrow T_1 \rangle\rangle_{\Gamma}^c e : T_2'$ and $T_2' < T_2$.*

Proof. By Case analysis

Case ($T_1 < T_2$). 1. By assumption $\Xi; \Gamma; \bar{x} \vdash e : T_1$

2. $\langle\langle T_2 \Leftarrow T_1 \rangle\rangle_{\Gamma}^c e = e$ by definition of metafunction.
3. $\Xi; \Gamma; \bar{x} \vdash \langle\langle T_2 \Leftarrow T_1 \rangle\rangle_{\Gamma}^c e : T_1$ by 1 and 2.

Case ($(x_1 : T_{11}) \xrightarrow{\Xi_1/x_1} T_{12} \not< (x_2 : T_{21}) \xrightarrow{\Xi_2/x_2} T_{22}$ and $e \neq x$). Where $T_1 = (x_1 : T_{11}) \xrightarrow{\Xi_1/x_1} T_{12}$, $T_2 = (x_2 : T_{21}) \xrightarrow{\Xi_2/x_2} T_{22}$ and $\Gamma_l = (\Gamma, x_1 : T_{21}, x_2 : T_{11}, f : T_1)$

1. $\langle\langle T_2 \Leftarrow T_1 \rangle\rangle_{\Gamma}^c e = (\lambda f : T_1 . \langle T_2 \Leftarrow T_1 \rangle_{\Gamma_l}^c f)^{T_2'; \perp; \emptyset} \bullet_{\Gamma} e$
2. $\Xi; \Gamma, f : T_1; \bar{x} \vdash \langle T_2 \Leftarrow T_1 \rangle_{\Gamma_l}^c f : T_2'$, where $T_2' < T_2$ by proposition 21.
3. $\Xi; \Gamma; \bar{x} \vdash (\lambda f : T_1 . \langle T_2 \Leftarrow T_1 \rangle_{\Gamma_l}^c f)^{T_2'; \perp; \emptyset} : T_1 \xrightarrow{\perp} T_2'$ by [IFun]
4. $\Xi; \Gamma; \bar{x} \vdash (\lambda f : T_1 . \langle T_2 \Leftarrow T_1 \rangle_{\Gamma_l}^c f)^{T_2'; \perp; \emptyset} \bullet_{\Gamma} e : T_2'$, and $T_2' < T_2$ by [IAprm]

Case ($(x_1 : T_{11}) \xrightarrow{\Xi_1/x_1} T_{12} \not< (x_2 : T_{21}) \xrightarrow{\Xi_2/x_2} T_{22}$ and $e = x$). Where $T_1 = (x_1 : T_{11}) \xrightarrow{\Xi_1/x_1} T_{12}$, $T_2 = (x_2 : T_{21}) \xrightarrow{\Xi_2/x_2} T_{22}$ and $\Gamma_l = (\Gamma, x_1 : T_{21}, x_2 : T_{11})$

1. $\langle\langle T_2 \Leftarrow T_1 \rangle\rangle_{\Gamma}^c e = \langle T_2 \Leftarrow T_1 \rangle_{\Gamma_l}^c$ by definition of metafunction.
2. $\Xi; \Gamma; \bar{x} \vdash \langle T_2 \Leftarrow T_1 \rangle_{\Gamma_l}^c : T_2'$ where $T_2' < T_2$ by proposition 21.
3. $\Xi; \Gamma; \bar{x} \vdash \langle\langle T_2 \Leftarrow T_1 \rangle\rangle_{\Gamma}^c e : T_2'$ by 1 and 2.

□

Proposition 21. *If $\Xi; \Gamma; \bar{x} \vdash f : (x_1 : T_{11}) \xrightarrow{\Xi_1/x_1} T_{12}$, $x_1 \in \Gamma_l$, $x_2 \in \Gamma_l$, then $\Xi; \Gamma; \bar{x} \vdash \langle (x_2 : T_{21}) \xrightarrow{\Xi_2/x_2} T_{22} \Leftarrow (x_1 : T_{11}) \xrightarrow{\Xi_1/x_1} T_{12} \rangle_{\Gamma_l}^{true} f : (x_2 : T_{21}) \xrightarrow{\Xi_2/x_2} T_{22}'$, (depending on the cast function, $T_{22}' = T_{22}$ or $T_{22}' = T_{12}$)*

Proof. Let $\Xi_1^l = \Xi_1 \cup \text{lat}(\Gamma_l, \bar{x}_1, \bar{x}_2)$ and $\Xi_2^l = \Xi_2 \cup \text{lat}(\Gamma_l, \bar{x}_2, \emptyset)$. Let $\Gamma' = \Gamma, x : T_2$.

Case ($c = \text{true}$, $|\Xi_1^l| \setminus |\Xi_2^l| \neq \emptyset$).

$$\begin{array}{c}
\text{IVAR} \\
\frac{\Gamma'(f) = (x_1 : T_{11}) \xrightarrow{\Xi_1/x_1} T_{12}}{|\Xi_1^l| \cup |\Xi_2^l|; \Gamma'; \bar{x}_2 \vdash f : (x_1 : T_{11}) \xrightarrow{\Xi_1/x_1} T_{12}} \quad \text{PROP.2} \quad \frac{T_{11}' \lesssim T_{11}}{|\Xi_1^l| \cup |\Xi_2^l|; \Gamma'; \bar{x}_2 \vdash \langle\langle T_{11} \Leftarrow T_{21} \rangle\rangle_{\Gamma}^{x_2 \notin \bar{x}_2} x : T_{11}'} \\
\text{IAPRM 1 \& 2} \quad \frac{T_{11}' < T_{11} \quad |\Xi_1 \cup \text{lat}(\Gamma_l, \bar{x}_1, \bar{x}_2)| \subseteq |\Xi_1^l| \cup |\Xi_2^l|}{|\Xi_1^l| \cup |\Xi_2^l|; \Gamma'; \bar{x}_2 \vdash f \bullet_{\Gamma_l} (\langle\langle T_{11} \Leftarrow T_{21} \rangle\rangle_{\Gamma}^{x_2 \notin \bar{x}_2} x) : T_{12}} \\
\text{IHAS} \quad \frac{\Xi_2^l; \Gamma'; \bar{x}_2 \vdash \text{insert-has}?(|\Xi_1^l| \setminus |\Xi_2^l|, f \bullet_{\Gamma_l} (\langle\langle T_{11} \Leftarrow T_{21} \rangle\rangle_{\Gamma}^{x_2 \notin \bar{x}_2} x)) : T_{12}}{\Xi_2; \Gamma'; \bar{x}_2 \vdash \text{restrict} (\Xi_2^l) \text{insert-has}?(|\Xi_1^l| \setminus |\Xi_2^l|, f \bullet_{\Gamma_l} (\langle\langle T_{11} \Leftarrow T_{21} \rangle\rangle_{\Gamma}^{x_2 \notin \bar{x}_2} x)) : T_{12}} \\
\text{IRST} \quad \frac{\Xi_2; \Gamma'; \bar{x}_2 \vdash \text{restrict} (\Xi_2^l) \text{insert-has}?(|\Xi_1^l| \setminus |\Xi_2^l|, f \bullet_{\Gamma_l} (\langle\langle T_{11} \Leftarrow T_{21} \rangle\rangle_{\Gamma}^{x_2 \notin \bar{x}_2} x)) : T_{12}}{\Xi_2; \Gamma'; \bar{x}_2 \vdash \langle\langle T_{22} \Leftarrow T_{12} \rangle\rangle_{\Gamma}^{true} \text{restrict} (\Xi_2^l) \text{insert-has}?(|\Xi_1^l| \setminus |\Xi_2^l|, f \bullet_{\Gamma_l} (\langle\langle T_{11} \Leftarrow T_{21} \rangle\rangle_{\Gamma}^{x_2 \notin \bar{x}_2} x)) : T_{22}'} \\
\text{IFN} \quad \frac{\Xi; \Gamma; \bar{x} \vdash (\lambda x : T_{21} . \langle\langle T_{22} \Leftarrow T_{12} \rangle\rangle_{\Gamma}^{true} \text{restrict} (\Xi_2^l) \text{insert-has}?(|\Xi_1^l| \setminus |\Xi_2^l|, f \bullet_{\Gamma_l} (\langle\langle T_{11} \Leftarrow T_{21} \rangle\rangle_{\Gamma}^{x_2 \notin \bar{x}_2} x)))^{T_{22}'; \Xi_2; \bar{x}_2} : (x_2 : T_{21}) \xrightarrow{\Xi_2/x_2} T_{22}'}{\Xi; \Gamma; \bar{x} \vdash (\lambda x : T_{21} . \langle\langle T_{22} \Leftarrow T_{12} \rangle\rangle_{\Gamma}^{true} \text{restrict} (\Xi_2^l) \text{insert-has}?(|\Xi_1^l| \setminus |\Xi_2^l|, f \bullet_{\Gamma_l} (\langle\langle T_{11} \Leftarrow T_{21} \rangle\rangle_{\Gamma}^{x_2 \notin \bar{x}_2} x)))^{T_{22}'; \Xi_2; \bar{x}_2} : (x_2 : T_{21}) \xrightarrow{\Xi_2/x_2} T_{22}'}
\end{array}$$

Case ($c = \text{true}$, $|\Xi_1^l| \setminus |\Xi_2^l| = \emptyset$). Trivial by using the same argument for $c = \text{true}$, $|\Xi_1^l| \setminus |\Xi_2^l| \neq \emptyset$.

Case ($c = \text{false}$). Let $\Gamma' = \Gamma, f : (x_1 : T_{11}) \xrightarrow{\Xi_1 / \bar{x}_1} T_{12}$ and $\Gamma'' = \Gamma, x : T_2$.

$$\begin{array}{c}
\text{IVAR} \\
\frac{\Gamma'(f) = (x_1 : T_{11}) \xrightarrow{\Xi_1 / \bar{x}_1} T_{12}}{\Gamma'(f) = (x_1 : T_{11}) \xrightarrow{\Xi_1 / \bar{x}_1} T_{12}} \\
\text{IAPRM} \quad \frac{\frac{|\Xi_1^l| \cup \Xi_2^l; \Gamma'; \bar{x}_2 \vdash f : (x_1 : T_{11}) \xrightarrow{\Xi_1 / \bar{x}_1} T_{12}}{\Xi_2^l; \Gamma'; \bar{x}_2 \vdash f \bullet (\langle T_{11} \Leftarrow T_{21} \rangle_{\Gamma}^{x_2 \notin \bar{x}_2} x) : T_{12}} \quad \frac{T_{11}' \lesssim T_{11}}{|\Xi_1^l| \cup \Xi_2^l; \Gamma'; \bar{x}_2 \vdash (\langle T_{11} \Leftarrow T_{21} \rangle_{\Gamma}^{x_2 \notin \bar{x}_2} x) : T_{11}'} \quad T_{11}' < T_{11}}{\Xi_2^l; \Gamma'; \bar{x}_2 \vdash f \bullet (\langle T_{11} \Leftarrow T_{21} \rangle_{\Gamma}^{x_2 \notin \bar{x}_2} x) : T_{12}} \\
\text{IRST} \quad \frac{\Xi_2; \Gamma'; \bar{x}_2 \vdash \langle T_{22} \Leftarrow T_{12} \rangle_{\Gamma}^{\text{true}} \text{restrict } (\Xi_2^l) f \bullet (\langle T_{11} \Leftarrow T_{21} \rangle_{\Gamma}^{x_2 \notin \bar{x}_2} x) : T_{22}'}{\Xi; \Gamma; \bar{x} \vdash (\lambda x : T_{21} . \langle T_{22} \Leftarrow T_{12} \rangle_{\Gamma}^{\text{true}} \text{restrict } (\Xi_2^l) f \bullet (\langle T_{11} \Leftarrow T_{21} \rangle_{\Gamma}^{x_2 \notin \bar{x}_2} x))^{T_{22}'; \Xi_2; \bar{x}_2} : (x_2 : T_{21}) \xrightarrow{\Xi_2 / \bar{x}_2} T_{22}'} \\
\text{IFN}
\end{array}$$

□

References

- [1] F. Bañados, R. Garcia, and É. Tanter. A theory of gradual effect systems. In *Proceedings of the 19th ACM SIGPLAN Conference on Functional Programming (ICFP 2014)*, pages 283–295, Gothenburg, Sweden, Sept. 2014. ACM Press.
- [2] L. Rytz. *A Practical Effect System for Scala*. PhD thesis, École Polytechnique Fédérale de Lausanne, Sept. 2013.
- [3] L. Rytz, M. Odersky, and P. Haller. Lightweight polymorphic effects. In J. Noble, editor, *Proceedings of the 26th European Conference on Object-oriented Programming (ECOOP 2012)*, volume 7313 of *Lecture Notes in Computer Science*, pages 258–282, Beijing, China, June 2012. Springer-Verlag.